

# Migration to 10065 appliance

## Introduction

The Exinda 10065 is the latest hardware model, replacing the Exinda 10064. This guide will help you migrate to the new model, and provide the required information about the SKUs for NIC cards.

#### **Migration Steps**

Follow these steps for a smooth migration to the Exinda 10065.

- **Review Current Hardware**

3

5

- Identify bandwidth and internet link availability

- Document network interface card (NIC) details

2 Plan New Configuration

> Map existing NICs to compatible Exinda 10065 SKUs (No change in SKUs)

- **Backup Configuration**
- Follow Exinda guidelines to securely back up the current device
- **Install New Hardware**

Equip Exinda 10065 with supported NICs per the SKUs

**Restore Configuration** 

Transfer the backed-up config to the new Exinda 10065

- **Test and Verify** 
  - Verify network connectivity and performance
  - Ensure all applications function correctly



# Supported NICs - SKUs

Besides the hardware upgrade, the list of NICs available for Exinda 10064 and Exinda 10065 are the same. However, Exinda 10064 had four NIC slots; the new Exinda 10065 device comes with seven NIC slots.



Below are the NICs for Exinda 10064 and 10065 (there has been no change in the SKUs), however there have been changes in the number and height of ports as shown below.

	Exinda 10064	Exinda 10065
Built-In NICs	None	4 x 1G RJ45, 1 x IPMI
Additional NIC Slots	3 half-height, 1 full height	7 x PCIe Gen3x8 full-height expansion slots

### **Copper NICs**

Copper options	EXN-RJ45-2P-FH 2-port 1 Gbps	EXN-RJ45-4P-HF 4-port 1 Gbps	EXN-RJ45-2P-10G 2-port 10 Gbps
Connector type	RJ-45	RJ-45	RJ-45
All slots	Yes	Yes	Yes



#### Fiber 1 Gbs

Fiber 1 Gbps Options	EXN-FIB-2PMS-FH 2-port 1 Gbps Short Range	EXN-FIB-2P-SLFH 2-port 1 Gbps Long Range	EXN-FIB-4PMS-F 4-port 1 Gbps Short Range	EXN-FIB-4PSL-FI 4-port 1 Gbps Long Range
Connector type	LC	LC	LC	LC
All slots	Yes	Yes	Yes	Yes

# Fiber High Speed

Fiber High Speed Options	EXN-FIB10-2PMS 2-port 10 Gbps Short Range	EXN-FIB10-2PSL 2-port 10 Gbps Long Range	EXN-FIB40-2PFH 2-port 40 Gbps Short Range	EXN-FIB10-4PMS-F 4-port 10 Gbps Short Range
Connector type	LC	LC	MTP	LC
All slots	Yes	Yes	Yes	Yes

# **Conclusion**

Migrating to Exinda 10065 is straightforward, follow the steps outlined in this guide for a smooth transition. For additional support, refer to the configuration transfer guide or contact our support team. For full specifications of Exinda 10065, refer to the Datasheet.